



Stock Vigente al 28 de Junio de 2006

REDES INALAMBRICAS - WIRELESS			
Controlador Wireless			
CI5-200	AIR-WLC526-K9	Cisco WLC526 Mobility Express Controller	1
Access Point			
CI9-650	AIR-AP1121G-A-K9	802.11g AP, Single MPCPI Radio, Int Ant, FCC Cnfg	40
CI9-682	AIR-AP1131AG-A-K9	802.11a, .11g AP, Int Radios, Ants, FCC Cnfg	8
CI0-777	AIR-AP1231G-A-K9	802.11g IOS AP w/Avail CBus Slot, FCC Cnfg	46
CI9-651	AIR-AP1231G-A-K9	802.11g IOS AP w/Avail CBus Slot, FCC Cnfg	10
CI9-683	AIR-AP1242AG-A-K9	802.11a/g Non-modular IOS AP; RP-TNC; FCC Cnfg	25
CI5-755	AIR-AP521G-A-K9	802.11g Auto AP, Int Radios, Ants, FCC Cnfg	9
CI0-505	AIR-LAP1121G-A-K9	802.11g LWAPP AP, Single MPCPI Radio, Int Ant	1
CI8-658	AIR-LAP1242AG-A-K9	802.11ag LWAPP AP Dual 2.4,5GHz RP-TNC FCC Cnfg	10
CI5-201	AIR-LAP521G-A-K9	802.11g LWAPP AP Integrated Antennas FCC Cnfg	9
CI7-201	AIR-LAP521G-A-K9	802.11g LWAPP AP Integrated Antennas FCC Cnfg	3
CI9-653	AIR-PI21AG-A-K9	802.11a/b/g Low Profile PCI Adapter; FCC Cnfg	1
Antenas			
CI9-534	AIR-ANT1728	2.4 GHz, 5.2 dBi Ceiling Omni Ant. w/RP-TNC Conn	57
CI9-121	AIR-ANT1949	13.5 DBI YAGI MAST MOUNT ANTENNA	1
CI0-939	AIR-ANT2506	2.4 GHz, 5.2 dBi Mast Mount Omni Ant w/RP-TNC	22
CI9-123	AIR-ANT4941	2.4 GHz,2.2 dBi Dipole Antenna w/ RP-TNC Conn	100
CI9-136	AIR-ANT5135D-R	5GHz 3.5dBi Dipole Antenna w/RP-TNC connector	8
CI0-041	AIR-ANT5959	2.4 GHz ,2 dBi Divers. Omni Ceiling Ant. w/ RP-T	1
Power Injector - Cables			
CI9-529	AIR-PWRINJ3=	Power Injector for 1100, 1130AG, 1200 1230AG	48
CI0-189	AIR-CAB005LL-R	5 ft Low Loss RF cable w/RP-TNC connectors	5
CI9-548	AIR-CONCAB1200=	Console Cable for 1130AG, 1200, 1230AG, 1240	10
SEGURIDAD - FIREWALL			
CI0-520	ASA5505-K8	ASA 5505 Appliance with SW, 10 Users, 8 ports, DES	3
CI9-691	ASA5510-BUN-K9	ASA 5510 Appliance w/ SW, 50 VPN Peers, 3 FE	1
CI0-524	ASA5510-K8	ASA 5510 Appliance with SW, 5FE, DES	1
CI9-690	ASA5520-AIP10-K9	ASA 5520 Appl w/ AIP-SSM-10, SW,300 VPN Prs	1
CI9-045	PIX-1FE=	PIX 10/100 Fast Ethernet interface card, RJ45	1

TELEFONIA IP

CI9-612	ATA186-I1-A	Cisco ATA 186 2-Port Adaptor, 600 Ohm Imped	7
CI9-519	ATA186-I1-A=	Cisco ATA 186 2-Port Adaptor, 600 Ohm Imped	28
CI0-446	C1861-UC-4FXO-K9	1861, 8-user CME,CUE,Ph. Lic,4FXS,4FXO,8xPOE	2
CI3-014	CP-7911G	Cisco IP Phone 7911G	89
CI8-084	CP-7911G=	Cisco IP Phone 7911G	1
CI0-954	CP-7914=	7914 IP Phone Expansion Module	1
CI3-032	CP-7921G-W-K9	Cisco 7921G Rest of World;Reqd; Batt/PS Not Inc	2
CI5-003	CP-7921G-W-K9=	Cisco 7921G ; Battery/Power Supply Not Included	4
CI5-022	CP-7931G=	Cisco IP phone 7931G	5
CI8-064	CP-7940G=	Cisco IP Phone 7940G, Global, Spare	2
CI3-004	CP-7941G	Cisco IP Phone 7941	21
CI5-009	CP-7941G=	Cisco IP Phone 7941, spare	1
CI3-009	CP-7941G=	Cisco IP Phone 7941, spare	2
CI9-631	CP-7960G	Cisco IP Phone 7960G, Global	1
CI3-010	CP-7961G	Cisco IP Phone 7961	25
CI5-034	CP-7961G=	Cisco IP Phone 7961, spare	8
CI3-034	CP-7961G=	Cisco IP Phone 7961, spare	1
CI5-065	CP-7970G=	Spare Cisco IP Phone 7970G, Global	3
CI0-447	CP-BATT-7921G-STD=	Cisco 7921G Battery, Standard	7
CI0-330	CP-BATT-7921G-STD=	Cisco 7921G Battery, Standard	1
CI0-429	CP-DOUBLFOOTSTAND=	Footstand kit for 2 7914s	1
CI0-957	CP-DSKCH-7921G-BUN	Cisco 7921G Desk Top Charger, Power Supply, AC	7
CI0-328	CP-PWR-7921G-CE=	Cisco 7921G Power Supply for Central Europe	1
CI0-183	CP-PWR-CORD-CE=	7900 Series Transformer Power Cord, Central Europe	34
CI9-212	CP-PWR-CUBE-3=	IP Phone power transformer for the 7900 phone	108
CI0-213	CP-SINGLFOOTSTAND=	Footstand kit for single 7914	5
CI9-143	CP-SINGLFOOTSTAND=	Footstand kit for single 7914	3
CI9-859	CUVA-V2=	Cisco Unified Video Advantage with VT Camera II	2
CI3-037	LIC-CM-DL-10=	CallManager Device License - 10 units	15
CI3-220	LIC-CM-DL-10=	CallManager Device License - 10 units (4)	16
CI3-038	LIC-CM-DL-100=	CallManager Device License - 100 units	1
CI3-015	SW-CCM-UL-7911	CallManager RTU License for Single IP Phone 7911	89
CI3-033	SW-CCM-UL-7921G	CallManager 4.x License for single Cisco 7921G	2
CI3-005	SW-CCM-UL-7941	License, CallManager, Cisco IP Phone 7941	21
CI9-632	SW-CCM-UL-7960	CallManager Unit license for single 7960 IP phone	1
CI3-011	SW-CCM-UL-7961	license, Cisco IP Phone 7961	25
CI9-613	SW-CCM-UL-ANA	CallManager Unit license for single SCCP analog p	7
CI0-032	SW-IPCOMM-E1=	Spare Cisco IP Communicator-Communications Client	18
CI7-501	UC520-16U-4FXO-K9	16U CME Base, CUE and Phone FL w/4FXO, 1VIC	5
CI7-502	UC520-32U-8FXO-K9	32U CME Base, CUE and Phone FL w/8FXO, 1VIC	1
CI7-505	UC520-48U-12FXO-K9	48U CME Base, CUE and Phone FL w/12FXO	2
CI7-504	UC520-48U-T/E/F-K9	48U CME Base, CUE and Phone FL w/ 4FXO, T1/	2
CI7-500	UC520-8U-4FXO-K9	8U CME Base, CUE and Phone FL w/4FXO, 1VIC	1
CI7-550	UC520-8U-4FXO-K9	8U CME Base, CUE and Phone FL w/4FXO, 1VIC	5
CI5-600	UC520W-16U-4FXO-K9	16U CME Base, CUE and Phone FL w/4FXO, 1VIC WIFI	15
CI7-600	UC520W-16U-4FXO-K9	16U CME Base, CUE and Phone FL w/4FXO, 1VIC WIFI	1
CI7-602	UC520W-16U-4FXO-K9	16U CME Base, CUE and Phone FL w/4FXO, 1VIC WIFI	3
CI5-601	UC520W-8U-4FXO-K9	8U CME Base, CUE and Phone FL w/4FXO, 1VIC WIFI	5
CI7-601	UC520W-8U-4FXO-K9	8U CME Base, CUE and Phone FL w/4FXO, 1VIC WIFI	9
CI7-603	UC520W-8U-4FXO-K9	8U CME Base, CUE and Phone FL w/4FXO, 1VIC WIFI	4

ROUTERS - WAN

CI9-676	CISCO1841	Mod Router w/2xFE, 2 WAN slots, 32 FL/128 DR	31
CI9-730	CISCO2811	2811 w/ AC PWR,2FE,4HWICs,2PVDMs,1NME,	2
CI9-688	CISCO2811	2811 w/ AC PWR,2FE,4HWICs,2PVDMs,1NME	10
CI9-702	CISCO851-K9	Ethernet SOHO Security Router	9
CI9-704	CISCO871-K9	Dual Ethernet Security Router	10
CI0-345	HWIC-1FE=	HWIC one routed port	2
CI9-659	HWIC-D-9ESW=	Nine port 10/100 Ethernet switch interface card	1
CI8-055	VIC2-2FXO=	Two-port Voice Interface Card - FXO (Universal)	4
CI9-517	VIC2-4FXO=	Four-port Voice Interface Card - FXO (Universal)	1
CI3-008	VVIC2-1MFT-T1/E1=	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card	4
CI0-194	WIC-1T=	1-Port Serial WAN Interface Card	4
CI9-016	WIC-1T=	1-Port Serial WAN Interface Card	1
CI0-594	WIC-2T=	2-Port Serial WAN Interface Card spare	2
CI0-299	PVDM2-32=	32-Channel Packet Voice/Fax DSP Module	3
CI0-121	PVDM2-48=	48-Channel Packet Voice/Fax DSP Module	5
CI0-495	CAB-V35FC=	V.35 Cable, DCE, Female, 10 Feet	2
CI0-494	CAB-V35MT=	CAB,V.35 CABLE,DTE,MALE,10 FEET	4
CI9-615	CAB-SS-232MT=	RS-232 Cable, DTE Male to Smart Serial, 10 Feet	8

SWITCHES - LAN

Catalyst Express 500			
CI8-071	WS-CE500-24LC	24 10/100 and 2 10/100/1000BT or SFP uplinks	1
CI5-072	WS-CE500-24PC	24 10/100 (24PoE) and 2 10/100/1000BT or SFP	12
CI8-072	WS-CE500-24PC	24 10/100 PoE and 2 10/100/1000BT or SFP uplink	2
CI5-070	WS-CE500-24TT	24 10/100 and 2 10/100/1000BT uplinks	18
CI5-444	WS-CE520-24PC-K9	24 10/100 PoE ports+2 10/100/1000BASE-TorSFP	10
CI5-441	WS-CE520-8PC-K9	Catalyst Express 520 8 10/100 PoE+1GE Combo Port	20
CI0-441	WS-CE520-8PC-K9	Catalyst Express 520 8 10/100 PoE + 1 GE Combo	2
CI0-448	WS-CE520-8PC-K9	Catalyst Express 520 8 10/100 PoE+1GE Combo Port	1
Catalyst 2950			
CI9-272	WS-C2950C-24	24 10/100 PORTS WITH 2 100BASE-FX	1
CI9-592	WS-C2950SX-24	24 10/100 PORTS W/2 1000BASE-SX PORTS, S	1
Catalyst 2960			
CI0-514	WS-C2960-24LT-L	Catalyst2960 24 10/100 (8 PoE)+ 2 1000BT LAN Base	4
CI3-183	WS-C2960-24-S	Catalyst 2960 24 10/100 LAN Lite Image	68
CI8-741	WS-C2960-24TC-L	Catalyst 2960 24 10/100 + 2T/SFP LAN Base Image	20
CI9-741	WS-C2960-24TC-L	Catalyst 2960 24 10/100 + 2T/SFP LAN Base Image	21
CI9-752	WS-C2960-24TC-S	Catalyst 2960 24 10/100 + 2 T/SFP LAN Lite Image	7
CI9-740	WS-C2960-24TT-L	Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image	1
CI9-743	WS-C2960-48TC-L	Catalyst 2960 48 10/100 + 2 T/SFP LAN Base Image	14
CI9-742	WS-C2960-48TT-L	Catalyst 2960 48 10/100 Ports+2 1000BT Base Image	9
CI9-750	WS-C2960-8TC-L	Catalyst 2960 8 10/100 + 1 T/SFP LAN Base Image	7
CI9-744	WS-C2960G-24TC-L	Catalyst 2960 24 10/100/1000, 4 T/SFP LAN Base	46
CI9-749	WS-C2960G-48TC-L	Catalyst 2960 48 10/100/1000, 4 T/SFP LAN Base	10
Catalyst 3560			
CI0-865	WS-C3560-24PS-S	Catalyst 3560 24 10/100 PoE + 2 SFP Std Image	12
CI0-848	WS-C3560-24PS-S	Catalyst 3560 24 10/100 PoE + 2 SFP Std Image	12
CI9-713	WS-C3560-24TS-S	Catalyst 3560 24 10/100 + 2 SFP Standard Image	1
CI9-853	WS-C3560-48PS-S	Catalyst 3560 48 10/100 PoE + 4 SFP Standard Image	2
CI9-718	WS-C3560-8PC-S	Catalyst 3560 8 10/100 PoE + 1 T/SFP Std Image	2
CI9-715	WS-C3560G-24PS-S	Catalyst 3560 24 10/100/1000T PoE + 4 SFP Std	1
CI9-723	WS-C3560G-24TS-S	Catalyst 3560 24 10/100/1000T + 4 SFP Std Image	12
CI9-717	WS-C3560G-48PS-S	Catalyst 3560 48 10/100/1000T PoE + 4 SFP S I	3

Catalyst 3750			
CI9-726	WS-C3750G-12S-S	Catalyst 3750 12 SFP Standard Multilayer Image	3
CI0-419	WS-C3750G-24T-S	Catalyst 3750 24 10/100/1000T Standard Multi	7
CI0-611	WS-C3750G-24TS-S	Catalyst 3750 24 10/100/1000T + 4 SFP Std	1
CI9-109	WS-C3750G-24TS-S	3750 24 10/100/1000T + 4 SFP Stan Multilayer	1
CI9-433	WS-C3750G-24TS-S1U	Catalyst 3750 24 10/100/1000 + 4 SFP ;1RU	8
Modulos GLC - GBIC			
CI0-905	WS-G5483=	1000BASE-T GBIC	1
CI0-293	GLC-FE-100FX=	100BASE-FX SFP for FE port	1
CI0-411	GLC-GE-100FX=	100FX SFP on GE SFP ports for DSBU switches	14
CI0-923	GLC-LH-SM=	GE SFP,LC connector LX/LH transceiver	19
CI0-949	GLC-SX-MM=	GE SFP, LC connector SX transceiver	88
CI0-674	GLC-T=	1000BASE-T SFP	10
CI9-140	GLC-T=	1000BASE-T SFP	10
Cables SFP - STACK			
CI0-344	CAB-SFP-50CM=	Catalyst 3560 SFP Interconnect Cable, 50cm	6
CI0-365	CAB-STACK-3M=	Cisco StackWise 3M Stacking Cable	1
Upgrade IOS			
CI0-090	CD-3560-EMI=	Enhanced Multilayer Image upg 3560 10/100 models	2
CI0-267	CD-3560G-EMI=	Enhanced Multilayer Image upgrade for 3560 GE	1
CI0-120	CD-3750G-48EMI=	Enhanced Multilayer Image upg for 48-port 3750 GE	1
CI0-187	CD-3750G-EMI=	EMI upgrade for 24-ports 3750 GE models	5

Hernán Beiza A.
hbeiza@b-comp.cl

Fono: 269 0566 / 225 9832

Ricardo Matte P. N° 0410 - Providencia Santiago